



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—									
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.
Para.....	Feb. 4	185,000	82	8			4	2					
Do.....	Feb. 11		83	6			4	2					
Paris.....	do.....	2,776,393	1,075	209					8	3	9	8	6
Plymouth.....	Feb. 18	124,180	55										
Port Elizabeth.....	Jan. 21	32,248	12	1					5				
Do.....	Jan. 28		9										
Prague.....	Feb. 4	235,556	80	16									
Quebec.....	Feb. 25	85,000	2						1				
Saigon.....	Jan. 22	206,000			1	3		3		1		1	
St. John.....	Feb. 11	31,000							2				
San Luis Potosi.....	Jan. 28	82,946	60	1				4	1			1	2
Santa Cruz de Tenerife.....	Feb. 11	46,000	14	2						1			
Santiago de Cuba.....	Feb. 18	53,614	20									2	
Sheffield.....	Feb. 4	472,000	165	20								32	1
Do.....	Feb. 11		195	14					2	1	2	52	1
Singapore.....	Jan. 14	271,060	173	18					1				
Southampton.....	Feb. 18	129,667	36	4								1	
Stettin.....	Feb. 4	234,033	67	6							2	2	
Do.....	Feb. 11		76	9							1		
Tampico.....	Feb. 20	23,452	33	9				4					
Tarragona.....	Feb. 11	20,400	22	1									1
Trieste.....	Feb. 4	224,080	110									1	
Tripoli.....	Jan. 7	42,000										1	
Valencia.....	Feb. 11	240,000	172	2								2	
Valetta.....	Feb. 4	215,879	83	3									1
Venice.....	Jan. 21	184,325	100	8									1
Do.....	Jan. 28		84	4						2			
Do.....	Feb. 4		93	8					1				
Vienna.....	Feb. 4	2,030,834	694	102							3	3	8
Vigo.....	Feb. 11	40,000	23	2								2	
Warsaw.....	Nov. 26	781,179	303	37				2	4	17	5	2	4
Do.....	Dec. 10		326	37				2	1	16	6	7	
Do.....	Dec. 17		301	40				5	2	27	4	7	6
Winnipeg.....	Feb. 18	135,000	40										
Yokohama.....	Feb. 6	407,432							1				
Zanzibar.....	Dec. 31	75,000	41	6					6				
Do.....	Jan. 7		21	4									
Do.....	Jan. 14		25	5									
Do.....	Jan. 21		16	4					1				1

MORTALITY—FOREIGN AND INSULAR COUNTRIES AND CITIES
(untabulated).

BRAZIL—*Pernambuco*.—Month of November, 1910. Population, 210,000. Total number of deaths from all causes 718, including smallpox 126, tuberculosis 128.

CHILE—*Punta Arenas*.—Month of December, 1910. Population, 12,000. Total number of deaths from all causes 31, including tuberculosis 4.

EAST AFRICA—*Lourenco Marquez*.—Month of December, 1910. Population, 10,000. Total number of deaths from all causes 52, including tuberculosis 16, typhoid fever 1.

EGYPT—*Alexandria*.—Month of December, 1910. Population, 420,000. Total number of deaths from all causes 960, including diphtheria 11, smallpox 1, tuberculosis 76, typhoid fever 10.

GREAT BRITAIN.—Week ended February 11, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 16 per 1,000 of the population, which is estimated at 17,160,256.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 19.6 per 1,000 of the population, which is estimated at 1,163,596. The lowest rate was recorded at Sligo, viz, 4.8, and the highest at Clonmel, viz, 46.2 per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 18.2 per 1,000 of the population, which is estimated at 1,917,875. The lowest rate was recorded at Aberdeen, viz, 12.1, and the highest in Dundee, viz, 24.4 per 1,000. The total number of deaths from all causes was 670, including diphtheria 9, measles 4, scarlet fever 8, typhoid fever 2.

ITALY—*Milan.*—Month of January, 1911. Population, 900,000. Total number of deaths from all causes 185, including diphtheria 2, measles 20, scarlet fever 1, tuberculosis 153, typhoid fever 1.

RUSSIA—*Riga.*—Month of November, 1910. Population, 355,000. Total number of deaths from all causes 706, including diphtheria 17, measles 4, scarlet fever 44, smallpox 20, typhus fever 1, typhoid fever 4.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon General,

United States Public Health and Marine-Hospital Service.